



GUIDE BAR CROSS REFERENCE



GB POWER TECH = OREGON PRO LITE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
118SLBKO95	UHL11-58SH	.325"	52
	UHLX12-50SR	3/8"	45
138SLBKO95	UHL13-58SH	.325"	56
138SLDKO95	UHL13-58SG	3/8"	50
138SLDZO95		3/8"	52
130MLBKO95	UHL13-50SH	.325"	56
	UHL14-58SH	.325"	60
	UHL14-58SG	3/8"	54
150MLBKO95	UHL15-50SH	.325"	64
158SLGKO95		.325"	65
158SLBKO95	UHL15-58SH	.325"	64
158SLHKO95	UHL15-58SG	3/8"	56
160SLGZO95		.325"	65
160SLGKO95	UHL16-50SH	.325"	66
160PDKO95		3/8"	59
168SLGZO95		.325"	65
168SLGKO95	UHL16-58SH	.325"	66
168SLBKO95	UHL16-58SH	.325"	66
168SLHKO95	UHLX16-58SG	3/8"	60
168SLDZO95	UHL16-58SG	3/8"	59
168SLDKO95	UHL16-58SG	3/8"	59
180SLGKO95	UHL18-50SH	.325"	72
180MLBKO95	UHL18-50SH	.325"	72
188SLGKO95	UHL18-58SH	.325"	72
188SLBKO95	UHL18-58SH	.325"	72
188SLHKO95	UHL18-58SG	3/8"	64
34372	UHLX16-58SH	.325"	68
39450	UHLX18-58SG	3/8"	68
208SLGKO95	UHL20-58SH	.325"	78
200SLGKO95	UHL20-50SH	.325"	78
	UHL20-58SG	3/8"	70
200SLHK095	UHL20-50SG	3/8"	70
160SLHD176	EX16-50SG	3/8"	60
168SLHD176	EX16-58SG	3/8"	60
168SLGD176	EX16-58SH	.325"	67
180SLHD176	E18-50SG	3/8"	64
188SLHD176	E18-58SG	3/8"	64
	EX18-50SG	3/8"	66
188SLGD176		.325"	72
200SLHD176	E20-50SG	3/8"	70
	EX20-50SG	3/8"	72

CROSS REFERENCE

CROSS REFERENCE

GB POWER TECH = OREGON PRO LITE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
138SLHD009	HV13-58SG	3/8"	52
138SLDD009	HV13-58SG	3/8"	52
158SLHD009	HV15-58SG	3/8"	56
168SLHD009	HV16-58SG	3/8"	60
178SLHD009	HV17-58SG	3/8"	64
188SLHD009	HV18-58SG	3/8"	68
200SLHD009	HV20-50SG	3/8"	72
208SLHD009	HV20-58SG	3/8"	72
240SLHD009	HV24-50SG	3/8"	84
248SLHD009	HV24-58SG	3/8"	84
168SLHD024	JO16-58SG	3/8"	60
188SLHD024	JO18-58SG	3/8"	68
208SLHD024	JO20-58SG	3/8"	72
	PO12-50SR	3/8"LP	45
138SLBK041	PO13-58SF	.325"	56
	PO14-50SR	3/8"LP	52
158SLBK041	PO15-58SH	.325"	64
158SLGK041	PO15-58SH	.325"	64
158SLBK041	PO15-58SH	.325"	64
	PO16-50SR	3/8"LP	57
160SLGK041	PO16-50SH	.325"	66
168SLBK041	PO16-58SH	.325"	66
180SLGK041	PO18-50SH	.325"	72
188SLGK041	PO18-58SH	.325"	72
200SLDK041	PO20-50SG	3/8"	70
200SLGK041	PO20-50SH	.325"	78
160GLHD196	N/A	3/8"	60
200GLHD196	N/A	3/8"	70
160SLHD276	MA16-50SG	3/8"	60
200SLHD276	MA20-50SG	3/8"	71
140SLBK218		.325"	56
160SLBK218		.325"	64
138SLBDO25	SN13-58SH	.325"	56
133SLBDO25	SN13-63SH	.325"	56
133SLHDO25	SN13-63SG	3/8"	52
153SLGDO25	SN15-63SH	.325"	62
153SLHDO25	SN15-63SG	3/8"	56
163SLGDO25	SN16-63SH	.325"	67
163SLHDO25	SN16-63SG	3/8"	60
168SLHDO25	SN16-58SG	3/8"	60
178SLHDO25		3/8"	64
183SLGDO25	SN18-63SH	.325"	74



GUIDE BAR CROSS REFERENCE



GB POWER TECH = OREGON PRO LITE

OREGON PROLITE	GB POWERTECH	PITCH	DLC
183SLHDO25	SN18-63SG	3/8"	66
198SLHDO25		3/8"	68
200SLHD025	SN20-50SG	3/8"	81
203SLGDO25	SN20-63SH	.325"	81
203SLHDO25	SN20-63SG	3/8"	72
240SLHDO25	SN25-50SG	3/8"	84
243SLHDO25	SN25-63SG	3/8"	84
	SW12-50SR	3/8LP	45
	SW14-50SR	3/8" LP	50
	SW14-63SH	.325"	56
	SW16-50SR	3/8" LP	55
163SLBA074	SW16-63SF	.325"	62
	SW16-63SH	.325"	62
183SLBA074	SW18-63SH	.325"	68

CROSS REFERENCE



GUIDE BAR CROSS REFERENCE



GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

CROSS REFERENCE

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
138RNBK095	UHL13-58PJ	.325"	56
138RNDK095	UHL13-58PA	3/8"	50
148RNBK095	UHL14-58PJ	.325"	61
158RNBK095	UHL15-58PJ	.325"	64
158RNDK095	UHL15-58PA	3/8"	56
168RNBK095	UHL16-58PJ	.325"	66
160RNBK095	UHL16-50PJ	.325"	66
160RNDZ095	UHL16-50PA	3/8"	59
168RNDK095	UHL17-58PA	3/8"	60
178RNDK095	UHL18-58PA	3/8"	64
180RNBK095	UHL18-50PJ	.325"	72
180RNDK095	UHLX20-50PA	3/8"	68
188RNBK095	UHL18-58PJ	.325"	72
188RNDK095	UHLX20-58PA	3/8"	68
188RNDZ095	UHL18-58PA	3/8"	64
200RNDZ095	UHL20-50PA	3/8"	70
200RNDK095	UHL21-50PA	3/8"	72
200RNBK095	UHL21-50PJ	.325"	78
208RNDK095	UHL21-50PA	3/8"	72
208RNBK095	UHL21-58PJ	.325"	78
8782C	UHLX21-58PJ	.325"	
228RNDK095	UHL22-58PA	3/8"	77
240RNDK095	UHL24-50PA	3/8"	84
248RNDK095	UHL24-58PA	3/8"	84
	UHL26-58PJ	.325"	
280RNDK095	UHL28-50PA	3/8"	93
	UHL28-58PJ	.325"	
8755D	E16-50PA	3/8"	59
8784D	E18-50PA	3/8"	64
8873D	EX20-58PA	3/8"	72
160RNDD176	EX16-50PA	3/8"	60
160GNDD176	EX16-50PA	3/8"	60
180RNDD176	EX18-50PA	3/8"	66
200RNDD176	E20-50PA	3/8"	70
200GNDD176	E20-50PA	3/8"	70
208RNDD176	E20-58PA	3/8"	70
240RNDD176	E24-50PA	3/8"	81
240GNDD176	E24-50PA	3/8"	81
248RNDD176	E24-58PA	3/8"	81
	EX24-50PA	3/8"	84
138RNDD009	HV13-58PA	3/8"	52
158RNDD009	HV15-58PA	3/8"	56
168RNDD009	HV16-58PA	3/8"	60





GUIDE BAR CROSS REFERENCE



GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
160RNDD009	HV16-50PA	3/8"	60
178RNDD009	HV17-58PA	3/8"	64
188RNDD009	HV18-58PA	3/8"	68
180RNDD009	HV18-50PA	3/8"	68
208RNDD009	HV20-58PA	3/8"	72
200RNDD009	HV20-50PA	3/8"	72
203RNDD009	HV20-63PA	3/8"	72
228RNDD009	HV22-58PA	3/8"	76
240RNDD009	HV24-50PA	3/8"	76
248RNDD009	HV24-58PA	3/8"	84
243RNDD009	HV24-63PA	3/8"	84
268RNDD009	HV26-58PA	3/8"	89
280RNDD009	HV28-50PA	3/8"	92
288RNDD009	HV28-58PA	3/8"	92
283RNDD009	HV28-63PA	3/8"	92
300RNDD009	HV30-50PA	3/8"	98
320RNDD009	HV32-50PA	3/8"	105
323RNDD009	HV32-63PA	3/8"	105
323RNFD009	HV32-63PB	.404"	105
343RNFD009	HV34-63PB	.404"	110
363RNDD009	HV36-63PA	3/8"	115
363RNFD009	HV36-63PB	.404"	104
423RNDD009	H426-63PA	3/8"	135
168RNDD024	JO16-58PA	3/8"	60
188RNDD024	JO18-58PA	3/8"	68
208RNDD024	JO20-58PA	3/8"	72
173RNFE031	S17-63PB	.404"	60
173RNDE031	S17-63PA	3/8"	67
213RNFE031	S21-63PB	.404"	68
213RNDE031	S21-63PA	3/8"	75
158RNDB083	DS15-58PA	3/8"	56
178RNDB083	DS18-58PA	3/8"	64
208RNDB083	DS21-58PA	3/8"	72
178RNDD033	DOL17-58PA	3/8"	64
208RNDD033	DOL20-58PA	3/8"	72
	DOL24-58PA	3/8"	80
	DOL29-58PA	3/8"	96
158RNBK041	PO15-58PJ	.325"	64
160RNBK041	PO16-50PJ	.325"	66
168RNBK041	PO16-58PJ	.325"	66
180RNBK041	PO18-50PJ	.325"	72
208RNBK041	PO20-58PJ	.325"	80
160RNDD196	N/A	3/8"	60

CROSS REFERENCE

GB PRO TOP SPROCKET NOSE = OREGON POWER MATCH

CROSS REFERENCE

OREGON POWER MATCH	GB PRO TOP SPROCKET NOSE	PITCH	DLC
200RNDD196	N/A	3/8"	70
240RNDD196	N/A	3/8"	81
160RNDD276	MA16-50PA	3/8"	60
200RNDD276	MA20-50PA	3/8"	71
240RNDD276	MA24-50PA	3/8"	81
153RNBD025	SN15-63PJ	.325"	62
153RNDD025	SN15-63PA	3/8"	56
160RNBD025	SN16-50PJ	.325"	67
160RNDD025	SN16-50PA	3/8"	60
163RNBD025	SN16-63PJ	.325"	67
163RNDD025	SN16-63PA	3/8"	60
180RNBD025	SN18-50PJ	.325"	74
180RNDD025	SN18-50PA	3/8"	66
183RNBD025	SN18-63PJ	.325"	74
183RNDD025	SN18-63PA	3/8"	66
200RNBD025	SN20-50PJ	.325"	81
200RNDD025	SN20-50PA	3/8"	72
203RNDD025	SN20-63PA	3/8"	72
203RNBD025	SN20-63PJ	.325"	72
240RNDD025	SN25-50PA	3/8"	84
243RNDD025	SN25-63PA	3/8"	84
283RNDD025	SN28-63PA	3/8"	91
280RNDD025	SN28-50PA	3/8"	91
283RNFD025	SN28-63PB	.404"	83
300RNDD025	SN30-50PA	3/8"	98
303RNDD025	SN30-63PA	3/8"	98
320RNDD025	SN32-50PA	3/8"	105
323RNDD025	SN32-63PA	3/8"	105
323RNFD025	SN32-63PB	.404"	95
343RNDD025	SN34-63PA	3/8"	110
363RNDD025	SN36-63PA	3/8"	114
363RNFD025	SN36-63PB	.404"	104
423RNDD025	SN42-63PA	3/8"	135



GUIDE BAR CROSS REFERENCE



GB PROFESSIONAL HARD TOP = OREGON LASER TIP & LASER LITE

OREGON LASERTIP	OREGON LASERLITE	GB HARDTOP	PITCH	DLC
160ATMD009	160LAMDD009	HV16-50	3/8"	60
168ATMD009	168LAMDD009	HV16-58	3/8"	60
173ATMD009		HV16-63	3/8"	68
180ATMD009	180LAMDD009	HV18-50	3/8"	68
188ATMD009	188LAMDD009	HV18-58	3/8"	68
200ATMD009	200LAMDD009	HV20-50	3/8"	72
203ATMD009	203LAMDD009	HV20-63	3/8"	72
208ATMD009	208LAMDD009	HV20-58	3/8"	72
240ATMD009	240LAMDD009	HV24-50	3/8"	84
243ATMD009	243LAMDD009	HV24-63	3/8"	84
248ATMD009	248LAMDD009	HV24-58	3/8"	84
160ATMD025	160LAMDD025	SN16-50	3/8"	60
163ATMD025	163LAMDD025	SN16-63	3/8"	60
180ATMD025	180LAMDD025	SN18-50	3/8"	66
183ATMD025	183LAMDD025	SN18-63	3/8"	66
200ATMD025	200LAMDD025	SN20-50	3/8"	72
203ATMD025	203LAMDD025	SN20-63	3/8"	72
240ATMD025	240LAMDD025	SN25-50	3/8"	84
243ATMD025	243LAMDD025	SN25-63	3/8"	84
160ATMD176	160LAMDD176	EX16-50	3/8"	60
		E16-50	3/8"	59
180ATMD176	180LAMDD176	EX18-50	3/8"	66
		E18-50	3/8"	64
200ATMD176	200LAMDD176	E20-50	3/8"	70
		EX20-50	3/8"	72
		E24-50	3/8"	81
		EX24-50	3/8"	84
		UHL13-58	.325"	56
		UHL14-58	.325"	60
		UHL15-58	.325"	64
160ATMK095		UHL17-50	3/8"	60
160ATMZ095		UHL16-50	.325"	66
160ATMZ095			3/8"	59
168ATMK095		UHL17-58	3/8"	60
		UHL17-58	.325"	68
180ATMK095		UHLX20-50	3/8"	68
180ATMZ095		UHL18-50	.325"	72
188ATMK095			3/8"	68
200ATMK095		UHL21-50	3/8"	72
200ATMZ095		UHL20-50	.325"	78
200ATMZ095			3/8"	70
208ATMK095		UHL21-58	3/8"	72

CROSS REFERENCE



GUIDE BAR CROSS REFERENCE



CROSS REFERENCE

GB PROFESSIONAL HARD TOP = OREGON LASER TIP & LASER LITE

OREGON LASERTIP	OREGON LASERLITE	GB HARDTOP	PITCH	DLC
120LAXA041		PO12-50	3/8LP	47
140LAXA041		PO14-50	3/8LP	52
160LAXA041		PO16-50	3/8LP	58
120LAXA061		HX12-50	.325"	53
140LAXA061		HX14-50	.325"	59
160LAXA061		HX16-50	.325"	67
168ATMD024		JO16-58	3/8"	60
188LAMD024	188LAMD024	JO18-58	3/8"	68
208ATMD024		JO20-58	3/8"	72
238ATMD024		JO23-58	3/8"	80
258ATMD024		JO25-58	3/8"	88
308ATMD024		JO30-58	3/8"	98
158ATMB083		DS15-58	3/8"	56
178ATMB083		DS18-58	3/8"	64
218ATMB083		DS21-58	3/8"	72
		DS24-58	3/8"	80
173ATMD033		DO17-63	.404"	61
		DO21-63	.404"	70
		DO25-63	.404"	78
		DO30-63	.404"	92
		DO33-63	.404"	100
		DO37-63	.404"	109
		DO44-63	.404"	126
		DOL17-58	3/8"	64
208ATMD033		DOL20-58	3/8"	72
		DOL24-58	3/8"	80
213ATMF014		H21-63	3/8"	78
253ATMF014		H25-63	3/8"	90
173ATLE031		S17-63	.404"	66
213ATLE031		S21-63	.404"	75
253ATLE031		S25-63	.404"	88
173ATME031		S17-63	.404"	60
173ATME031		S21-63	.404"	75
173ATME031		S25-63	.404"	88
213ATLE086		SL21-63	.404"	72
253ATLE099		SLD25-63	.404"	84
303ATLE099		SLD30-63	.404"	92
		SLD33-63	.404"	100
363ATLE099		SLD36-63	.404"	104
423ATLE099		SLD42-63	.404"	122





GUIDE BAR CROSS REFERENCE




GB MINI CUT = OREGON CONSUMER BAR

(PRO91, 3/8")

OREGON PRO 91	OREGON DOUBLE GUARD 91	GB MINICUT	PITCH	DLC
120GPEA041	120SDEA041	PO12-50CR	3/8LP	45
120SDEZ041			3/8LP	46
140GPEA041	140SDEA041	PO14-50CR	3/8LP	52
160GPEA041	160SDEA041	PO16-50CR	3/8LP	57
160SDEZ041			3/8LP	56
080SDEA218			3/8LP	34
100SDEA218			3/8LP	39
120SPEA218	120SDEA218	M12-50CR	3/8LP	44
140SPEA218	140SDEA218	M14-50CR	3/8LP	49
160SPEA218	160SDEA218	M16-50CR	3/8LP	55
180SXE218		M18-50CR	3/8LP	60
120SDEA074		SW12-50CR	3/8LP	44
140SPEA074	140SDEA074	SW14-50CR	3/8LP	50
160SPEA074	160SDEA074	SW16-50CR	3/8LP	55
120SDEA064		F12-50CR	3/8LP	45
140SPEA064	140SDEA064	F14-50CR	3/8LP	52
160SPEA064	160SDEA064	F16-50CR	3/8LP	56
120GPEA061	120DGEA061	HX12-50CR	3/8LP	48
140GPEA061			3/8LP	52
140DGEA061		HX14-50CR	3/8LP	53
160GPEA061	160DGEA061	HX16-50CR	3/8LP	59
120SPEA095	120SDEA095	UHLX12-50CR	3/8LP	45
140SPEA095	140SDEA095		3/8LP	52
160SPEA095	160SDEA095		3/8LP	56
120SDEA089			3/8LP	45
140SDEA089			3/8LP	50
160SDEA089			3/8LP	56
140SZEB100			3/8LP	52
120SXEB004			3/8LP	47
140SXEB004			3/8LP	53
160SXEB004			3/8LP	58

CROSS REFERENCE



SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
10612X	ST322LCB7X	185-13	.404-7	Rim	Stihl 070, 640, 1106, 2025
10616	H0108LCB7N		.404-7	Rim	Homelite 7-19, 600D, 700D, 707D, 770D, 775D, C5, C7, C9, C51, C71, C72, C91, EZ, EZ6, SUPER ZIP, SXP1020, XP1000, XP1020, XP1100, ZIP
10617	P0528LCA7X	N227-11	3/8-7	Rim	Poulan/Poulan Pro 360, 361, 400, 401, 450, 451
10624	MC441LCB7N	N175-13	.404-7	Rim	McCulloch 1-70 SERIES, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797 (1/2" bearing), CP-125, SP-125
10625X	ST301LCB7X	187-13	.404-7	Rim	Stihl 07S, 08, S-10, 640, 1108, 2025
12667X			3/8-7	Rim	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, 50, S55, S65
13916X	ST309LCB7X	045-11	3/8-7	Rim	OLEO-MAC 251, 252, 254, 254, 350 (before 1988), 355 Stihl 041 (before S/N 5664891)
14026X			.404-8	Rim	Homelite 9-23, 650, 750, 900D, 909D, 990D, 995D, 1050 AUTO, 2000 AUTO, 2000E, 2100 AUTO, BUZ 500, SUPER 1050 AUTO, SUPER 2100 AUTO, XP1020 SUPER, XP2000
16208X	EC212LCA7X	353-11	3/8-7	Rim	Echo CS-60, SC-60S
16372RX	DO151LCA7X		3/8-7	Rim	Dolmar 122, 123, 133, 143, CA
16372AX	DO151LCB7X		.404-7	Rim	Dolmar 122, 123, 133, 143, CA
18200X	ST309LCA7X	183-11	3/8-7	Rim	Stihl 030, 031, 041 (after S/N 5664891), 007, 1040, 1113
18242X	JO253SCA7X	N260-26	3/8-7	Rim	Jonsered 45, 49, 50, 51, 52, 451, 521
19117X	HU405SCJ7N	N303-24	.325-7	Rim	Husqvarna 44, 140, 240, 340, 444
21238X	JO253SCJ8X	N260-25	.325-8	Rim	Jonsered 45, 49, 50, 51, 52, 451, 521
21358X	EC208SCA7X	355-11	3/8-7	Rim	Echo CS-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55V, Redmax G-561, G-621 Sears 35826 35829
21426X	MC443LCB7N	N176-13	.404-7	Rim	McCulloch 155, 165, 355, 365, 375, 515, 610, 650, 655, 700, 805, 850, 855, MAC 1-10 through 10-10 PRO MAC 55, SP-70
21932X			.404-7	Rim	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65
22132X	HU406LCB7N	N302-13	.404-7	Rim	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
22209	HU402LCA7N	N302-12	3/8-7	Rim	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
22262X	ST323LCB7X	184-13	.404-7	Rim	Stihl 050, 051, 075, 076, 640, 1111, 2025
22271X	ST323LCA8X	184-12	3/8-8	Rim	Stihl 050, 051, 075, 076, 640, 1111, 2026
23136X			.404-7	Rim	Echo CS-900, CS1001
23706X	PO526LCA7X	N228-11	3/8-7	Rim	Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884
24139X	HU411SCJ8N	N110-25	.325-8	Rim	Husqvarna 50, 51, 55, 154, 254, 262, Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325






SPROCKETS CROSS REFERENCE



CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
24256	HU402LCB7N	N301-13	.404-7	Rim	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
25842X			3/8-7	Rim	Partner P-85, P-100 (after March 1977)
26098X	EC215LCA7X	356-11	3/8-7	Rim	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV, 0, 005, 175, 1023
26580X	JO257LCA7X		3/8-8	Rim	OLEO-MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482
26831	HU400LCA7N	N304-11	3/8-7	Rim	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
26950X	JO260SCJ8X	N218-25	.325-8	Rim	Jonsered 450, 455, 510, 525, 535; 2051, 2054, 2055 (2051, 2054, and 2055 all use bearing # 37504)
27189X	DO158LCA7X	364-11	3/8-7	Rim	Dolmar 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI, 120 SUPER Makita DCS6000i, DCS6800I
27193X	DO153LCB7X		.404-7	Rim	Dolmar 152, 153, 166 Poulan/Poulan Pro 5500, 6000
27440X	PI502LCA7N		3/8-7	Rim	Pioneer 1160, 1200, 1420, 2270, 2400, 3071, 3200, P-38, P-41, P-42, P-51, P-52, P-60, P-61, P-62, FARM-SAW, Poulan/Poulan Pro 405, 455, 525, 655
27958	HO100R6N	N158-M6	3/8-6LP	Spur	Homelite 190, SUPER 2, SUPER 2CC, VI SUPER 2,
	HO100K8X	N158-K9	1/4-8LP	Spur	XEL, XL XL2, XL MINI
27999	EC201R6X	354-M6	3/8-6LP	Spur	Echo CS-280, CS-290, CS-300 John Deere 25EV, 005, 175, 13931
28000	EC203R6X	354-M6	3/8-6LP	Spur	Echo CS-301, CS-302, CS-315, CS-330, CS-351, CS-360 John Deere 28, 30, 35, 35EV, 40V
28001	FR181R6N FR181-K8X	N217-M6 N217-K8	3/8-6LP 1/4-8T	Spur Spur	Frontier F-35, FB-35, Husqvarna 33, 34, 35, 37, 38 Jonsered 36, 361, 365, 370 Partner 22, 330, 350, 1612, 1613, 1614, 1616, MINI P, P2, P3, PA Pioneer P-12
28004	PO529R6N PO529-K8X	B224-M6 B224-K8	3/8-6LP 1/4-8T	Spur Spur	Poulan/Poulan Pro 180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, MICRO 25
28006	PO530R6O PO530-K8X	B225-M6 B225-K9	3/8-6LP 1/4-8T	Spur Spur	Poulan/Poulan Pro 25 Series (except MICRO 25), S25 Sears 35235, 35238, 35255, 25256
28016X	ST303R6X	081-M6	3/8-6LP	Spur	Stihl 009, 010, 011, 640, 1120, 2000
28094X	HU406LCA7N	N302-12	3/8-7	Rim	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
28187X	PO531LCA7X	N230-11	3/8-7	Rim	Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885
28563X	JO259LCA8X	263-12	3/8-8	Rim	Jonsered 820, 910, 920, 930
28611X			.325-8	Rim	Pioneer 970, 1072, 1073, 1074, 2071, 2073, HOLIDAY II, P-20, P-21, P-25, P-26, P-28
29105		N268-24	.325-7	Rim	Husqvarna 42, 133, 234, 238, 242 (before S/N 3441001)



SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
29175X	HU411SCJ7N	N110-24	.325-7	Rim	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325
29243X	EC206SCJ7X		.325-7	Rim	Echo CS-400, CS-440, CS-3900 John Deere 45, 105, 175, 14530
29250	OL554SCJ7X		.325-7	Rim	OLEO-MAC 950, 951, 942, 945, 946, 938, 941
29313X	EC202-R6X	355-11 359M6	3/8-7 3/8-6	Rim Spur	Echo CS-650, CS-660 John Deere 65EV
29496X	JO260SCA7X	N218-26	3/8-7	Rim	Jonsered 450, 455, 510, 525, 535, 2051, 2054, 2055, (2051, 2054, and 2055 all use bearing # 37504)
29888	MC446R6N	N177-M6	3/8-6LP	Spur	McCulloch 365, 2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000 3210, 3214, 3216, 3505, 3516, 3805, 3818 MAC 110-140, MINI MAC, PM480, POWER MAC 310-340, PRO MAC 3205AV-14, TITAN 35-40
29917X	ST315SCA7X		3/8-7	Rim	Stihl 028, 028 SUPER, 007, 1007, 1118
29972X	ST317LCB7X		3/8-7	Rim	Stihl 056S (after S/N 10963560), 007, 1045, 1115
30384X	ST315SCJ7X		.325-7	Rim	Stihl 028, 028 SUPER, 007, 1004, 1118
30432X	HO112A7N	N157-A7	3/8-7	Spur	Homelite 150 AO, 350, 350HG, 350SL, (with 2-5/8" clutch with 5/8" -dia. shaft), EZ, EZ 250 AO, EZ AUTO, SEZ AO SXL MINI AO, VI 123, XL76 (without brake), XL 101, XL MINI AO
30666X	HO113LCA7N	N148-11	3/8-7	Rim	Homelite 450, 550, SUPER XL 925 (with 6-shoe clutch), SUPER XL AUTO, VI 944, VI 955, XL (800-924), XL-12 (after S/N 1735838), XL AUTO
30672X	HO112LCA7N	N157-11	3/8-7	Rim	Homelite 150AO, 350, 350HG, 350SL (with 2-5/8" clutch with 5/8" dia. shaft), EZ, EZ 250 AO, EZ AUTO, SEZ AO, SXL MINI AO, VI 123, XL76 (without brake), XL 101, XL MINI AO
30681X	HO113-A7N	N148-A7	3/8-7	Spur	Homelite 450, 550, SUPER XL 925 (with 6-shoe clutch), SUPER XL AUTO, VI 944, VI 955, XL (800-924), XL-12 (after S/N 1735838), XL AUTO
30685X	HO118-A7N	N151-A7	3/8-7	Rim	Homelite 330, 350, 350HG, 350SL (with 3" clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
30688X	HO118-A7N	N151A7	3/8-7	Spur	Homelite 330, 350, 350HG, 350SL (with 3" clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
30869X	EC206SCA7X		3/8-7	Rim	Echo CS-400, CS-440, CS-3900 John Deere 45, 005, 175, 14530
31071X	JO257LCA7X		3/8-7	Rim	OLEO-MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482
32057	HU400A7N	N304-A7	3/8-7	Spur	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
		OL552-J8X		3/8-8	030, 031, 032, 041 (after S/N 5664891)






SPROCKETS CROSS REFERENCE



CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
32058	HU402A7N	N301-A7	3/8-7	Spur	Husqvana 77, 160, 163, 180, 260, 263, 280, 380, 480, L-35
32059X	HU406A7N		3/8-7	Spur	Husqvana 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
32060X	OL552-J7X	045-L8	3/8-7	Spur	OLEO-MAC 251, 252, 254, 350, (before 1988) 355 Stihl
32061X	ST311A7X	192-A7	3/8-7	Spur	Stihl 038, 640, 1119, 2000
32062X	PO526A7X PO526-B7X	N228-A7 N228-B7	3/8-7 .404-7	Spur Spur	Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884
32063X	ST317A7X	180-A7	3/8-7	Spur	Stihl 045, 056S (before S/N 10963560), 640, 115, 2001
32064X	ST314-A7X	194-A7	3/8-7	Spur	Stihl 048, 640, 1117, 2001
32071	HU400-A8N	N304-A8	3/8-8	Spur	Husqvana 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 10510000), 670 (after S/N 0510153)
32072X	ST323B7X	184-B7	.404-7	Spur	Stihl 050, 051, 075, 076, 640, 1111, 2002
32125	HU402B7N	N301-B7	3/8-8	Spur	Husqvana 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
32162X			.325-8	Rim	Dolmar 109, 110, 111, 115 Makita DCS 340, DCS 520I DCS4300, DCS 5200I
32457X	ST308SCJ7X	191-24	.325-7	Rim	Stihl 024, 026, (before S/N X25809074), 007, 1001, 1121
32669X	ST322B7X	185-B7	.404-7	Spur	Stihl 070, 640, 1106, 2011
32778X	PA474-A7X	185-B7	3/8-7	Spur	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65
32782X	EC212A7X	353-A7	3/8-7	Spur	Echo CS-60, CS-60S
32786X	MC443A7N	N176-A7	3/8-7	Spur	McCulloch 155, 165, 355, 365, 375, 515, 610, 655, 700, 805, 850, 855, MAC1-10 through 10-10, PRO MAC 55, SP-70
32790X	PO531A7X	N230-A7	3/8-7	Spur	Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885
32794X	EC208A7X	355-A7	3/8-7	Spur	Echo CS-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55V Redmax G-561, G-621 Sears 35826, 35829, 0, 005, 175, 1103
32798X	EC215A7X	356-A7	3/8-7	Spur	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV, 0, 005, 175, 1023
32940X	JO251SCJ7X		.325-7	Rim	Jonsered 410, 420, 425, 435
32943X	JO251SCJ8X		.325-8	Rim	Jonsered 410, 420, 425, 435
33807X	JO260SCJ7X		.325-7	Rim	Jonsered 450, 455, 510, 525, 535, (models 450-535 use bearing #37501), 2051, 2054, 2055 (models 2051-2055 use bearing #37504)
34162X	ST316SCA7X		3/8-7	Rim	Stihl 029, 034, 034 SUPER, 036, 039, 007, 1001, 1125
34254X	PO527SCJ7X	N231-24	.325-7	Rim	Poulan/Poulan Pro 285, 305, 335, 336, 2800, 3000, 3300



SPROCKETS CROSS REFERENCE




CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
34474X			.325-7	Rim	Echo CS-4000, CS-4500, CS-4600, CS-5000, CS-5500
35460X	ST328LCB7X	082-13	.404-7	Rim	Stihl 064, 066, 007, 1002, 1122
35464X	ST328LCA7X	082-11	3/8-7	Rim	Stihl 064, 066, 007, 1000, 1122
35641X	HU407SCJ7N	N265-24	.325-7	Rim	Husqvarna 40,45 Jonsered 2045, 2050
35992X	ST301B7X	187-B7	.404-7	Spur	Stihl 07S, 08, S-10, 640, 1108, 2000
36868X	HU411SCA7X	N110-26	3/8-7	Rim	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000
37395X			3/8-7	Rim	Husqvarna 3120 XP, JUNGLE 3120
37458X			3/8-7	Rim	Homelite SUPER XL925 (with 3-shoe clutch)
37969X			.404-7	Rim	Husqvarna 3120 XP, JUNGLE 3120
37990	HO102LCA7N	N147-11	3/8-7	Rim	Homelite XL12 (before S/N 1735838)
38003			.325-7	Rim	Homelite 240, 245
38010			3/8-7	Rim	Homelite 240, 245
38032	EC201SCA7X		3/8-7	Rim	Echo CS-280, CS-290, CS-300
38033	EC204SCA7X		3/8-7	Rim	Echo CS-301, CS-302, CS-315, CS-330, CS-351, CS-360 John Deer 28, 30, 35, 35EV, 40
38065X	EC206J7X	357-L7	.325-7	Spur	Echo CS-400, CS-440, CS-3900 John Deere 45, 105, 175, 14530
38071X	HU411J7N	N110-L7	.325-7	Spur	Husqvarna 50, 51, 55, 154, 254, 262 Jonsered 490, 590 Partner P400, P500, P5000 Poulan/Poulan Pro 325
38075X	DO158A7X	364-A7	3/8-7	Spur	Dolmar 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI, 120 SUPER, Makita DCS 6000i, DCS 6800I
38076X	ST308J7X	191-L7	.325-7	Spur	Stihl 024, 026 (before S/N X25890974), 640, 1121, 2000
38145X	ST316J7X	193-A7	3/8-7	Spur	Stihl 029, 034, 034 SUPER, 36, 039, 640, 1125, 2005
38147X	MC450SCJ8X		.325-7	Rim	McCulloch DOUBLE EAGLE 50, 57, TITAN 50-57, 70
38470X	ST320LCA7X	086-11	3/8-7	Rim	Stihl 044, 046, 007, 1000, 1128, MS440
38471X	ST320A7X	086-A7	3/8-7	Spur	Stihl 044, 046, 640, 1128, 2000, MS460
38824X		366-26	3/8-7	Rim	Dolmar 109, 110, 111, 115, Makita DCS 430, DCS 520i, DCS5200I
39245	HU406B7N	N302-B7	.404-7	Spur	Husqvarna 181, 185, 281, 285, 288, 298, 394, 1100, 2100, 2101
39668X	JO262LCA7X	N302-11	3/8-7	Rim	Jonsered 2094, 2095
40068	HU412SCJ7N	N270-24	.325-7	Rim	Husqvarna 42, 242, (after S/N 3441001), 246
40070X	HU413SCA7N	267-26	3/8-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001)
40071X	HU413SCJ8N	267-25	.325-8	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001)
40371X		269-11	3/8-7	Rim	Partner 7700 Poulan/Poulan Pro 415, 475 Jonsered 2077
41569X	PA475R6N	266-M6	3/8-6LP	Spur	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600






SPROCKETS CROSS REFERENCE



CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
41725X	PA475J7N	266-L7	.325-7	Spur	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600
41726X	PA475SCJ7N	266-24	.325-7	Rim	Husqvarna 36, 41 Jonsered 2036, 2040, 2041 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600
68209X	MC443LCA7N	N176-11	3/8-7	Rim	McCulloch 155, 165, 355, 365, 375, 515, 610, 650, 655, 700, 805, 850, 855, MAC 1-1 thru 10-10, PRO MAC 55, SP-70
100757	HU413SCA7N	267-11	3/8-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001) Oleo Mac 956, 962
100758X	HU413CJ7N	267-24	.325-7	Rim	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001) Oleo Mac 956, 962
100791X	ST310SCJ7X	085-24	.325-7	Rim	Stihl 024, 026 (after S/N X2589074), 007, 1001, 1121
100876X	ST310J7X	085-L7	.325-7	Spur	Stihl 024, 026 (after S/N X2589074), 640, 1121, 2000
100961X	ST305SCJ7X	084-24	.325-7	Rim	Stihl 017, 021, 023, 025, 007, 1003, 1123
100962X	ST305R6X		3/8-6LP	Spur	Stihl 017, 021, 023, 025, 640, 1123, 2005, MS170, MS180, MS210, MS250
102383X	JO264LCA7X	269-11	3/8-7	Rim	Jonsered 2077, 2083
102469	HU400LCA7N		3/8-7	Rim	Husqvarna 61 (before S/N 0510572), 66, 162, 266, (before S/N 0510000), 268 (before S/N 0510000), 272 (before S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 WEST COAST (after S/N 0510000), 670 (before S/N 0510153)
103217X	OL555R6X	264-M6	3/8-6LP	Spur	Oleo Mac 935
105232X	JO262-J7X		.325-8	Spur	Jonsered SAWMILL 2095
105772X	JO265LCA7X		3/8-7	Rim	Husqvarna 371
106114	P0532R6N		3/8-6LP	Spur	Poulan/Poulan Pro 230, 260, 2050, 2075, 2150, 2175, 2250, 2450, 2550, Sears 351062, 351142, 351161, 351181, 352161, 352180
108567	HO121A7N		3/8-7	Spur	Homelite 3300, 3350, 3800, 3850
106906X	EC202R6X	359-M6	3/8-6LP	Spur	Echo 3000, 3400, 3450
106656X	PA475J7N	266-L7	.325-7	Spur	Husqvarna 36, 41, 136, 141 Partner 365, 405 Poulan/Poulan Pro 210, P600, 2750, 2900, 3050 Jonsered 2036, 2040, 2041
106658X	HU407J7N	N265-L7	.325-7	Spur	Husqvarna 40, 45 Jonsered 2045, 2050
108564X	JO262LCA7X	N302-11	3/8-7	Rim	Jonsered 2095
105232X	JO262A7X		3/8-7	Spur	Jonsered 2095
106593X	PA475SCA7N		3/8-7	Rim	Husqvarna 36, 41, 136, 141 Partner 365, 405 Poulan/Poulan Pro 210, P600, 2750, 2900, 3050 Jonsered 2036, 2040, 2041
106068X	OL554J7X		.325-7	Spur	Oleo Mac 938, 941, 942, 945, 946, 951
11893	PI502A7N	N206-A7		Spur	Poulan/Poulan Pro 405-655



SPROCKETS CROSS REFERENCE



CROSS REFERENCE

Oregon Part No.*	GB Part No.	HERR Part No.	Pitch /Teeth	System	Application
107504X	PO527J7X	N231-L7	.325-7	Spur	Poulan/Poulan Pro 285-3300, 2700
106114			3/8-6LP	Spur	Partner 351
106657X	ST305J7X		.325-7	Spur	Stihl 017, 021, 023, 025
18720	ST316SCA7X		3/8-7	Rim	Stihl 029, 034, 036, 039
29250	OL554SCJ7X		.325-7	Rim	Oleo Mac 942, 946, 951
28005	AL602R6X		3/8-6LP	Spur	Alpina 330, 380, 35, 40





SPROCKET BEARINGS CROSS REFERENCE



GB PART NUMBER	OREGON PART NUMBER
081008	11893
081110	22152
091110	21276
101208	11807
101310	37325
101312	-
101313	37511
101316	-
101323	37517
101410	37509
101412	37507
101413	-
101612	37504
111413	12069
121510	-
121513	31153
121613	37501
121624	37514
121713	-
121812	-
131110	27805
131512	37501
131714	-
141713	16204
141717	25518
141814	20876
141812	-
141912	37486
151814	38799
151816	-
151817	37431
151822	37825
151917	13061
161913	-
58000	35184
810	12733
89502	11893
B68	28034
B78	19535
B88	11999
B910	12067
C1418-1	35184

CROSS REFERENCE





NOTES



NOTES